

Screening Market Transformation Opportunities: Lessons from the Last Decade, Promising Targets for the Next Decade

Steven Nadel, American Council for an Energy-Efficient Economy

ABSTRACT

From 1996 to 1998, several studies sought to identify the most promising targets for market transformation programs based on such factors as potential energy savings, measure cost-effectiveness, and likelihood of initiative success. As a result of this work, regional and national programs pursued many of the most promising opportunities. This paper reviews the results of these past studies and assesses how high-ranked initiatives have since fared in the market and also identifies factors associated with success.

Markets and market transformation thinking have both evolved since these earlier studies were conducted. In order to update that work, we conducted a new screening study to identify promising market transformation targets for the next decade. This paper summarizes this analysis, identifies the most promising initiatives, and offers recommendations for program planners and implementers.

Introduction

During the 1996–1998 period when many market transformation initiatives were first starting, several studies were conducted to identify the most promising targets for market transformation programs based on such factors as potential energy savings, measure cost-effectiveness, and likelihood of initiative success (Nadel & Suozzo 1998). Based on this work, regional and national initiatives were developed to pursue many of the most promising program opportunities. Since this time, there have been a number of changes in the market transformation field, such as the success and ramping-down of some initiatives and a trend towards greater packaging of initiatives (e.g., residential appliance initiatives instead of separate initiatives for refrigerators, clothes washers, etc.). In addition, new technologies and practices continue to be developed and the market situation for some of the previously known measures has changed. This paper briefly reviews the results of some of the previous studies and what has happened regarding the high-ranked measures over the past five years. We then review recent trends in the market transformation field since the last major screening studies were conducted. The bulk of this paper then presents an updated screening analysis and categorizes the most promising opportunities. The paper concludes with recommendations for program planners and implementers.

The 1990s Analyses

Results

A paper presented at the 1998 ACEEE Summer Study summarized the results of five screening studies conducted during the 1996–1998 period (Nadel & Suozzo 1998). Comparative results of these five studies are presented in Table 1.

Table 1. Summary of Screening Results from Five 1990s Studies

Measure	CEE	PG&E	NEEA	BECo	NEEP	Summary
Commissioning existing buildings	A	A	A	A	A	5A
Residential dishwashers	A	A	A	A	A	5A
Residential clothes washers	A	NI	A	A	A	4A
Packaged commercial refrigeration	B	A	A	B	A	3A, 2B
Commercial clothes washers	A	A	NI	NI	A	3A
Home electronics	A	NI	NI	A	A	3A
Residential CFLs & fixtures	B	A	A & B	B	NI	2A, 3B
Commercial new construction (integrated design)	B	B	B	A	B	1A, 4B
Traffic lights (LEDs)	B	A	B	B	NI	1A, 3B
Commercial packaged air conditioning	B	A	NI	B	B	1A, 3B
Residential central air conditioning	A	B	NI	NI	A	2A, 1B
Chiller systems		A		A	B	2A, 1B
Distribution transformers (dry type)		B		A	A	2A, 1B
Exit signs (LEDs)	A	NI	A	NI	NI	2A
Residential electric water heaters	A	NI	A	NI	NI	2A
Residential gas storage water heaters	A	A	NI	NI	NI	2A
Building code implementation & upgrades				A	A	2A
Duct sealing	B	B	A	NI	NI	1A, 2B
Industrial air compressors			B	NI	A	1A, 1B
Residential a/c installation & maintenance	B		NI	NI	A	1A, 1B
ENERGY STAR homes	B	NI		A	NI	1A, 1B
Motor repair					A	1A
Commercial lighting (T8 lamps & electronic ballasts)	A	NI	NI	NI	NI	1A
Microelectronics HVAC optimization			A	NI	NI	1A
Industrial fans & pumps			A	NI	NI	1A
Evaporative indirect-cooler for residential air conditioners	NI	A	NI	NI	NI	1A

Key: A = top 10 rank; B = ranked 10–20th; blank = ranked but not in top 20; NI = not included in study.

Source: Table from Nadel & Suozzo (1998) based on data in BECo (1997); NEEP (1996); NEEP (1997); Suozzo & Nadel (1998); Suozzo, Nadel, Harris & Eckman (1998); and Suozzo, Nadel, Reed & Shepard (1998).

Status of High-Ranked Measures from the Analyses in the 1990s

Of the top-ranked measures across these different studies, most have been incorporated into national and/or regional market transformation initiatives, including quite a few that have made substantial progress in the market and some that have made more limited progress. Table 2 summarizes the current market status of each of the 20 measures from Table 1 that were in the top 20 in at least two of the studies in the 1990s.

Table 2 also includes an assessment of the progress made over the past five years by these 20 measures, using a 1 to 5 scale (where 1 = little progress, 2 = some progress, 3 = substantial progress, 4 = transformation likely, and 5 = largely transformed). Overall, of the twenty measures, six are well on the way to transformation (rated 4 or 5), nine have made substantial progress (rated 3 or 3.5), and five have made limited progress (rated 1 or 2). These results are discussed further below.

Finally, Table 2 includes the “likelihood of success” score from one of the 1998 studies. For the most part, 1998 predictions and 2002 progress do not deviate substantially

from each other (in all but two cases they are within one point of each other). However, on average, the 2002 progress score is half a point lower than the 1998 prediction.

Table 2. Current Status of Top-Ranked Measures from the 1990s Studies

Measure	Current Status	Progress Rating	1998 LOS* Rating
1. Commissioning existing buildings	Several small programs underway that appear promising but activity is limited.	2	3
2. Residential dishwashers	Part of many appliance programs; ENERGY STAR market share 15% in 2001.	4	4
3. Residential clothes washers	Many programs underway, ENERGY STAR market share 12% in 2001, ENERGY STAR level will become minimum standard in 2007.	5	4
4. Packaged commercial refrigeration	Significant program efforts just beginning, several manufacturers have recently announced new efficient products. California adopted standards on vending machines and commercial refrigerators in Feb. 2002.	3	3.5
5. Commercial clothes washers	Promotion programs have met limited success but California just adopted a minimum-efficiency standard; other states contemplating similar standards.	3.5	5
6. Home electronics	ENERGY STAR has achieved substantial market share for TVs and VCRs; other home electronic programs only recently started.	3.5	3.5
7. Residential CFLs and fixtures	Sales, stocking, and product availability all up substantially; lamp sizes and prices have decreased. California adopted a torchiere efficiency standard in Feb. 2002; U.S. Congress is likely to follow suit.	3	3
8. Commercial new construction	Several utilities and states have successful programs, primarily based on incentives. Some states revising building codes.	3	3
9. Traffic lights	Sales of red and green LED modules have grown dramatically. California just adopted a mandatory efficiency standard and the U.S. Congress may follow suit.	4	4
10. Commercial packaged air conditioners	CEE Tier 1 now in ASHRAE standard, availability of Tier 2 products up substantially and sales increasing.	3.5	4.5
11. Residential central air conditioners	Market share of ENERGY STAR units has been stagnant but some regions achieving high market share for SEER 13; new federal standard will take effect in 2006	3.5	4.5
12. Chiller systems	The rated efficiency of new chillers has increased dramatically but few programs pay attention to system issues. Manufacturers promoting system issues more.	2	3
13. Distribution transformers	Availability of efficient transformers has increased substantially and costs down; mandatory codes/standards adopted in four states, national standards likely.	4	4
14. Exit signs	LED signs now dominate product sales, California adopted standards and U.S. Congress likely to follow suit.	5	5
15. Residential electric & gas water heaters	Several programs have achieved significant market share for efficient units, new federal standards take effect in 2004	4	5
16. Building code implementation & upgrades	Many states have adopted new codes; implementation issues receiving more attention.	3	3
17. Duct sealing	Just a few programs offered, with limited success.	1	3
18. Industrial air compressors	Compressed Air Challenge has increased knowledge about and skills to upgrade air system performance.	3	3
19. Residential air conditioner installation & maintenance	Programs in a few regions (e.g., N.J., southern California) have met some success, but efforts not widespread.	2	3
20. ENERGY STAR homes	Programs increasingly being offered around the country, with market share above 10% in some states in the Southwest; participation rates lower in the North.	3	3

Note: LOS = likelihood of success.

Lessons Learned

In general, the measures that have made significant progress over the past five or so years share one or more of the following attributes.

- They have low incremental cost (e.g., ENERGY STAR TVs, VCRs, and dishwashers).
- They have rapid paybacks (e.g., LED exit signs and traffic lights, CFLs, compressed air upgrades).
- They have substantial other benefits besides energy savings (e.g., LED exit signs and traffic lights have long lives, ENERGY STAR clothes washers provide improved cleaning performance, and ENERGY STAR homes can be more comfortable).
- They generally are improvements in the efficiency of an existing technology, rather than a totally new technology or changes in practices or design methods (i.e., none of the energy-saving practices have a progress rating higher than 3 on the 5-point scale and several have a rating of only 1 or 2).
- They are incorporated into new codes and standards, (e.g., residential and commercial clothes washers, residential and commercial air conditioners, transformers, residential water heaters, torchiere lighting fixtures, LED traffic lights, vending machines, and commercial refrigerators).

High-ranked measures with limited progress in the market often had limited promotion efforts, in large part due to the substantial market barriers they face. Measures that fall into this category include commissioning of existing commercial buildings, commercial chiller systems, residential duct sealing, and residential air conditioner installation and maintenance practices.

A few measures that have achieved significant market success over the past five years were either not included in the screening studies at all (e.g., building operator certification) or were not ranked highly (e.g., efficient windows), indicating some of the limitations of screening studies. Also, the fact that average progress in the past five years has been more limited than the 1998 predictions indicates that forecasters should be more conservative in predicting success.

Other Recent Trends with Market Transformation Initiatives

Several other recent trends in the market transformation field will affect an updated measure screening analysis. First is a trend towards greater packaging of related technologies and practices into a single initiative. Examples include ENERGY STAR appliance programs (typically combining refrigerators, clothes washers, dishwashers, and room air conditioners), motor/motor management programs, and programs for air conditioner equipment *and* installation.

Second, there is increased interest in initiatives that seek to change management, and operational and design practices in specific market segments. Examples include programs focused on offices, schools, and hotels/motels as well as efforts to change management practices in industrial market segments. These programs have the potential for large savings, but changing management practices in a significant share of the market will not be easy.

Third, new energy saving opportunities continue to be identified, sometimes due to the introduction of new products but often due to new ways to apply existing technologies. For example, ideas now receiving attention that were not included in the 1990s screening studies are variable speed furnace fans, consumer electronics with reduced standby power draws, optimization of clean room and data center facilities, and more efficient power supplies for televisions, computers, and other electronic products.

New Screening Analysis

Progress of, and lessons from, past market transformation initiatives, along with other recent trends, call for a new screening analysis to help identify the most important targets for the next decade. ACEEE has recently undertaken such an exercise. The results of this analysis are presented in the sections below.

Methodology

The methodology used for this new screening analysis is very similar to those used in many of the 1990s studies (Nadel & Suozzo 1998). The first step in this new study was to select a variety of possible initiatives for screening based on measures from the earlier studies that are not yet common practice, current initiatives, initiatives now in the planning stages, and initiative ideas still in the conceptualization phase. The list of initiatives to screen was also based on discussions with leading market transformation program planners, implementers, and evaluators. Some of these measures overlap with each other and there are likely to be additional energy-saving opportunities that are not included. Relative to the earlier studies, this study includes many more groupings of measures (e.g., “major appliances”) rather than individual measures (e.g., refrigerators). The choice of which measures to group and which to leave separate is a question of judgment; there are alternative ways to group measures than the choices used in this analysis. This study also includes updated targets for many measures—for example, the analysis of residential water heating options takes the new 2004 federal minimum-efficiency standard as its base. The measures examined in this study are listed in Table 3.

Second, data were collected on each of the measures including current energy use and efficiency, targeted efficiency levels, the incremental cost to reach these targets, quantified non-energy costs and benefits (e.g., operations and maintenance), and measure life. These variables are described in a more detailed report on this screening analysis (Nadel 2002).

Third, three key metrics were calculated for each measure—potential energy savings in 2020, cost of saved energy, and likelihood of success. Potential energy savings were calculated for the year 2020, based on energy use projections by sector and end-use from the Energy Information Administration (EIA 2000). In calculating energy savings, we took account of measure life (what proportion of the stock will turn over by 2020), program participation rates (we assumed 10% participation in 2003, 20% in 2004, etc.), and the percent of applications for which a measure is likely to be technically feasible and cost-effective to the end-user on a life-cycle cost basis.

Cost of saved energy is the levelized cost per kilowatt-hour of electricity saved (or per therm of natural gas) over the measure lifetime. Cost of saved energy was calculated by annualizing the cost of each measure over its life, assuming a 5% real discount rate (i.e., 5%

over the rate of inflation), and then dividing by annual energy savings. The cost of saved energy calculation also includes other quantifiable annual costs and benefits where these differ between the base case and the more efficient measure case. The cost of saved energy can be compared to average consumer energy costs to determine approximate cost-effectiveness from the consumer perspective or can be compared to the societal avoided cost of energy in order to determine approximate cost-effectiveness from the societal perspective.

Likelihood of success is a subjective measure that accounts for how likely an initiative is to be successful. It was estimated on a 1–5 scale, using a decision matrix developed by the Northwest Energy Efficiency Alliance for a 1998 screening study (Suozzo, Nadel, Harris & Eckman 1998). Likelihood of success is high where market barriers can be overcome, progress to date is significant, benefits (energy and non-energy) are substantial, and there is a clear exit strategy. As each of these factors becomes less certain, likelihood of success declines.

Fourth, scores were calculated for each measure on a 0–100 scale, with energy savings accounting for 40% of the available points and cost of saved energy and likelihood of success each accounting for 30% of the available points. Slightly less points were allocated to the last two factors since measure economics strongly influence both of these metrics and we didn't want to overweight economic considerations. The choice of weights to apply to each measure is subjective—the choice used here is similar to those used in many of the 1990s studies. However, the 1990s studies also found that changes to the weighting factors generally only resulted in modest changes to measure ranks, and thus the exact choice of weighting factors is not of critical importance (Nadel & Suozzo 1998).

Of course, there are other ways the different measures can be scored and limitations to virtually any scoring method. For example, one reviewer of a draft of this analysis noted that aggregation of related measures would increase energy savings, causing the energy savings score to increase. This is of course true, but as programs become larger and more complicated, likelihood of success will sometimes decline (in fact, several likelihood of success scores were adjusted down for exactly this reason). Also, by assigning only 40% of the maximum score to energy savings, measures with high scores on the other two measures can (and sometimes do) score highly. This same reviewer also suggested that rather than scoring energy savings and likelihood of success separately, the two figures should be multiplied (with likelihood of success recast as “probability of success”), and then the results divided by measure cost, yielding a single score that is roughly the probability-weighted savings per dollar invested. We employed this approach as an alternative scoring scheme.

Screening Results

Results of the screening analysis are summarized in Table 3. For each measure this table includes a brief measure characterization, the value of each of the three ranking metrics, and the total score. Additional details on the data used and the sources of these assumptions are documented in the full report on this analysis (Nadel 2002).

The results in Table 3 indicate a large variation in scores between the top- and bottom-ranked measures, but differences in scores between adjacent measures are generally slight. Thus, exact ranks are not especially meaningful but instead we urge readers to pay more attention to relative position in the rankings (e.g., top quartile, bottom quartile, etc.). Also, these rankings are based on limited data—additional investigation will be needed

Table 3. Summary of Updated Screening Analysis—Market Transformation Targets for the Next Decade

Measure	Current Efficiency	Efficiency Target	Units	Savings in 2020		By Fuel	Per Primary mBtu	Likely Success	Total Score	
				By Fuel (TBtu)	Total (TBtu)					
Major residential appliances	fed. std.	21%	savings	282	E	335	0.014/kwh	1.16	4.5	64
				53	G		0.859/therm			
Commercial building retrocommissioning	149	134	kBtu/sf	503	E	865	0.023/kwh	\$2.29	2.5	62
				362	G		0.229/therm			
Residential windows	.64/.65	.33/.44	U/SHGC	233	G	422	0.154/kwh	0.85	3.5	60
				189	E		0.015/therm			
Ind'l mgmt. practices (e.g., 1-2-5)	typ. plant	8%	savings	385	E	786	0.034/kwh	3.51	3	58
				402	G		0.531/therm			
Residential lighting	75	18	Watts	558	E	558	0.023/kwh	2.35	3.5	58
Res. furnace, heat pump, a/c blowers	950	300	kWh	130	E	130	0.016/therm	1.60	5	58
Commercial lighting	1.2	0.8	W/sf	639	E	639	0.022/kwh	2.27	3	57
Res. duct sealing/inflation reduction	avg. home	20%	H&C svgs	310	G	712	0.45/therm	1.96	2.5	57
				403	E		0.044/kWh			
Premium motors & motor mgmt.	EPAct typical	premium better	efficiency mgmt.	317	E	317	0.004/kwh	0.44	3.5	57
Comm'l. clothes washers (res. sizes)	vertical	horizontal	axis	5	G	7	0.288/therm	negative	4.5	55
				2	E		-0.012/kwh			
Commercial furnaces and boilers	standard units	power burner		181	G	181	0.082/therm	0.82	4	54
Compressed air system improvements	typical system	30%	electric savings	473	E	473	0.015/kwh	1.53	3	54
Sector-based commercial retrofit (e.g., offices)	15.8	13.4	kWh/sf	728	E	890	0.047/kwh	4.59	2.5	52
	0.5	0.4	therms/sf	162	G		0.361/therm			
Commercial new construction	90.1-1999	30%	savings	330	E	470	0.043/kwh	4.01	4	51
				140	G		0.322/therm			
Power-supply efficiency	70%	80%	efficiency	79	E	79	0.006/kwh	0.62	4	50
Standby use of electronics	4	1	Watts	145	E	145	0.016/kwh	1.67	4	48
Bldg. operator training/certification	typ. OM	better		62	E	113	0.006/kwh	0.63	3.5	47
				51	G		0.063/therm			
Industrial lighting	2,325	1,170	kWh	214	E	214	0.015/kwh	1.57	3.5	47
Fans & pump system optimization	typical system	20%	electric savings	543	E	543	0.027/kwh	2.80	2.5	45
Packaged commercial refrigeration	typical equip.	43%	savings	83	E	83	0.007/kwh	0.66	3.5	45
Residential light roofs	0.2	0.55	reflectance	266	E	266	0.013/kwh	1.33	3	45
Cleanroom optimization	1.2	0.6	kW/ton	16	E	16	0.011/kwh	1.14	4	45
Comm'l pkgd. a/c (equip & install)	10.3	11.5	EER	125	E	125	0.023/kwh	2.29	4	44
Chiller systems	1	0.75	kW/ton	53	E	53	0.009/kwh	0.87	3.5	43
New homes	avg. home	30%	H&C svgs	125	E	303	0.039/kwh	4.01	4	43
				178	G		0.401/therm			
Advanced commercial glazing	1.3/.69	.45/.45	U/SHGC	122	E	267	0.03/kwh	3.01	3	42
				145	G		0.301/therm			
Residential central air conditioner, heat pump (equip & install)	12	16	SEER	386	E	386	0.044/kwh	4.50	3.5	40
Data center optimization	35	17.5	Watts/sf			11	0.018/kwh	1.84	3.5	36
Residential gas water heating (stand-alone units)	0.59	0.62	EF	52	G	52	0.370/therm	3.70	4	34
Residential heat pump water heaters	0.9	2.4	EF	315	E	315	0.027/kwh	2.74	2	30
Built-up refrigeration	typical market	12%	savings	24	E	24	0.037/kwh	3.78	3.5	27

Measure	Current Efficiency	Efficiency Target	Units	By Fuel (TBtu)		Total (TBtu)	By Fuel	Per Primary mBtu	Likely Success	Total Score
Residential furnaces/boilers (equip & install)	82%	90%+9%	AFUE+	162	G	162	0.479/therm	4.79	3	23
Comm'l heat pump water heaters	<100%	~225%	efficiency	17	E	17	0.021/kwh	2.13	2	20
Comm'l cooking and ventilation	typical equipment	improved		76	G	76	0.3/therm	3.00	2	18
Ground- dual-source heat pumps	2.2	4	COP	8	E	8	0.025/kwh	2.54	2	17
Commercial light roofs	0.2	0.55	reflectance	29	E	29	0.059/kwh	6.03	3.5	16
Transformers (dry and liquid)	98%	99%	efficiency	55	E	55	0.056/kwh	5.66	3	14
Res. combo gas/space/water heating unit	82/59	90/90	AFUE/EF	85	G	85	0.543/therm	5.43	2	6

Notes: E=electricity, G=gas.

before deciding whether to sponsor any of these initiatives. Furthermore, these rankings are all based on national average data; at the regional level, rankings will change somewhat due to differences in climate, energy prices, sector and sub-sector energy use, and market development.

Table 4 compares measure rankings from the primary scoring method with scores and ranks from the alternative scoring method. As can be seen, results between the two scoring methods are generally similar (e.g., measures in the top, middle, and bottom quartiles are generally similar). For most measures, the two scoring methods ranked the measures within five ranks of each other. Only seven measures vary by more than five ranks and the measures are generally those with either low savings or high costs (which score lower on the alternative ranking) or with low costs or high savings (which score higher on the alternative ranking).

Initiatives for the Next Decade

Based on this screening analysis, quite a few market transformation initiatives look promising for the next decade, including continuations of many existing initiatives as well as some new areas that have not received much attention to date. Of the top ten ranked initiatives under the primary scoring method, four have received extensive attention in many regions of the country over the past five years: ENERGY STAR appliances, ENERGY STAR windows, residential lighting, and premium-efficiency motors and motor management. The other top-ranked measures have generally received limited or no attention of late, including commissioning of existing buildings, industrial energy management practices, residential furnace blowers, commercial lighting, residential ducts and infiltration reduction, and commercial clothes washers. A similar pattern occurs for the next ten measures. Five of these measures have received significant attention in recent years (compressed air system improvements, commercial sector-based retrofits, commercial new construction, building operator certification, and commercial packaged air conditioning) while the others have received limited attention (commercial furnaces and boilers, consumer electronics [standby power and power supply efficiency], industrial lighting, commercial and industrial fan and pump system optimization, and commercial packaged refrigeration systems).

Table 4. Comparison of Measure Ranks for the Two Scoring Methods

Measure	Alternative Method		Primary Method Rank	Measure	Alternative Method		Primary Method Rank
	Score	Rank			Score	Rank	
Premium motors/management	511	1	9	Residential furnace blowers	82	20	6
Residential windows	347	2	3	Standby use—electronics	69	21	16
Major residential appliances	260	3	1	New homes	60	22	24
Commercial retrocommissioning	189	4	2	Residential central air conditioners and heat pumps	60	23	27
Compressed air systems	186	5	12	Advanced commercial glazing	53	24	25
Residential ducts & infiltration	182	6	8	Residential heat pump water heaters	46	25	30
Commercial furnaces/boilers	176	7	11	Commercial packaged air conditioner	44	26	23
Commercial lighting	169	8	7	Chiller systems	42	27	25
Residential lighting	166	9	5	Residential furnaces & boilers	20	28	32
Industrial management practices	135	10	4	Residential gas water heating	11	29	29
Commercial clothes washers	132	11	10	Cleanroom optimization	11	30	22
Building operator training/certification	126	12	17	Commercial cooking/ventilation	10	31	34
Residential light roofs	120	13	21	Residential combo heating units	6	32	38
Power supply efficiency	102	14	15	Transformers	6	33	37
Fan/pump system optimization	97	15	19	Built-up refrigeration	4	34	31
Sector commercial retrofits	97	16	13	Data center optimization	4	35	28
Industrial lighting	95	17	18	Commercial light roofs	3	36	36
Commercial new construction	94	18	14	Commercial heat pump water heaters	3	37	33
Packaged commercial refrigeration	88	19	20	Ground/dual source heat pumps	1	38	35

Another way to examine the top-ranked measures is in terms of possible exit strategy, considering some of the lessons learned from successful initiatives over the past five years (as discussed above). Considering these success factors and exit strategies, the initiatives for the next decade fall into four primary categories as follows.

1. Measures with good likelihood of success because mandatory standards could be adopted in the next few years. For these measures, voluntary programs to promote efficient products can significantly increase the probability that strong standards will be adopted.
2. Measures with reasonable likelihood of success because they provide substantial benefits to customers (including non-energy benefits), and customers are sophisticated and relatively small in number.
3. Measures with reasonable likelihood of success because they can potentially be incorporated into building codes, but which will require substantial market development before this can happen.

4. Measures for which success will be more difficult, but which have large energy savings and hence deserve increased attention.

The first and second categories hold the potential for success in the relatively short term and thus are likely to be a priority for many program operators. The third category holds promise over the medium term (building support for code changes commonly takes on the order of 3–8 years) and thus will also often be a priority. The fourth category contains higher-risk initiatives, but ones with potentially very large payoffs in terms of cost-effective energy savings. There are substantial barriers to these measures and not a clear exit strategy, and thus these initiatives are likely to be long-term efforts that seek to gradually build market share. Table 5 classifies the top-ranked measures into these four categories (numbers in parentheses are their primary rank among all measures that were screened). For some measures the choice of category is clear; for other measures the choice may be subject to debate. And some measures may fall into more than one category. For example, sector-based commercial retrofits could fall into the “substantial benefits, sophisticated customer” category for some sub-sectors such as real estate investment trusts.

Table 5. Top-Ranked Measure by Implementation Category

Standards Possible in the Next Few Years	Substantial Benefits, Limited Number of Sophisticated Customers	Opportunity for Code Changes	Large Savings, Long-Term Effort
Major residential appliances (1)	Premium motors and motor management (9)	Residential windows (3)	Commercial building retrocommissioning (2)
Residential furnace, heat pump & a/c blowers (6)	Compressed air system improvements (12)	Commercial lighting (7)	Residential lighting (4)
Commercial clothes washers (10)	Bldg. operator training & certification (17)	Commercial new construction (14)	Industrial management practices (5)
Commercial furnaces & boilers (11)	Cleanroom optimization (22)	Industrial lighting (18)	Residential duct sealing & infiltration reduction (8)
Power supply efficiency (15)	Chiller systems (25)	Residential light roofs (21)	Sector-based commercial retrofits (13)
Standby use of electronics (16)	Data center optimization (28)	New homes (24)	Fan & pump system optimization (19)
Packaged commercial refrigeration systems (20)		Advanced commercial glazing (26)	Residential heat pump water heaters (30)
Commercial packaged a/c (23)			
Residential central a/c (27)			
Residential gas water heating (29)			

Note: Includes top 30 measures from Table 3.

In the past five years or so, measures in the last category have received limited attention (with the exception of residential lighting), quite likely because these initiatives require long-term strategies whose success is far from assured. However, the seven measures in this category account for nearly half of the total possible energy savings from the 38 measures considered in this analysis. Thus, while these initiatives may be high risk, they also have high payoffs that may well justify the risks. This trend is illustrated in Figure 1, which analyzes the total savings potential in 2020 by implementation strategy.

While this study examines 38 possible initiatives from a program planner’s perspective, in offering programs to customers it will often be advisable to combine initiatives into a coherent overall marketing strategy. For example, the Northwest Energy Efficiency Alliance is now developing an overall commercial sector strategy that combines

aspects of several of the measures analyzed here including the sector-based commercial strategy, retrocommissioning, and commercial lighting (Hewett 2002).


Conclusions and Recommendations

A review of past screening studies of potential market transformation initiatives and the progress of these initiatives over the past five years indicates that many of these initiatives have made substantial progress in the market. Successful initiatives tend to promote energy-saving technologies and practices that fall into four categories: those with low incremental cost; those with rapid paybacks; those with substantial other benefits besides energy savings; and those that have been incorporated into new codes and standards. Of the measures that were ranked highly in past screening studies but have made more limited progress in the market, many involve energy-saving practices. Often there have been only limited efforts to promote these measures, but where they have been promoted, market barriers have been substantial, permitting some progress but not rapid market gains.

It has been approximately five years since the last major screening study for new market transformation initiatives was prepared. This paper summarizes a new screening study that updates the older studies with new data, new measures, and regrouping of measures based on recent trends. This new screening study indicates that there remain many opportunities for substantial energy and economic savings from market transformation initiatives. The most promising initiatives for further investigation are identified here. These tend to be for technologies and practices that fall into four categories that were identified in the previous section. Technologies and practices in the first and second categories tend to be attractive to program implementers because of the potential to achieve success in a relatively short period of time. The third category also provides good chances for success over the medium term. The fourth category is higher risk, but offers potentially higher rewards, as the seven initiatives in this category account for nearly half of the potential energy savings of all 38 measures examined in this screening analysis.

We recommend that program implementers pursue the top-ranked measures in all four categories and not just concentrate on the first and second categories that have been the “bread and butter” of many market transformation initiatives. Category one (measures lending themselves to standards) is still very important because standards are only set every five years or so for each product—by paying attention to these measures now, program implementers can influence the next round of standards rather than having to wait an additional five or so years until the next standard revision. Category three and four measures (those with large savings but significant risks and those that could perhaps be incorporated into building codes in the medium term) deserve increased attention since these measures can provide substantial savings but require time to achieve success—the sooner work on these

Figure 1. Distribution of Potential Energy Savings by Implementation Category



initiatives can be started, the sooner their substantial benefits can be achieved. However, the path toward achieving these benefits is not clear, meaning that numerous pilot programmatic approaches should be tried in order to maximize chances of success.

Screening analyses, including this one, rely on many estimates and assumptions and by nature simplify complex situations. These analyses indicate promising technologies and practices that merit further investigation, particularly consideration of local market conditions. We recommend that these investigations now take place for at least the high-ranked measures from this study. We also recommend that a study of this type be repeated every few years in order to continue providing up-to-date recommendations based on the latest market data.

References

- [BEC] Boston Edison Company. 1997. *Five Year Energy Efficiency Plan, Impact 2002*. Boston, Mass.: Boston Edison Company.
- [EIA] Energy Information Administration. 2000. *Annual Energy Outlook 2001*. Washington, D.C.: U.S. Department of Energy, Energy Information Administration.
- Hewett, Dave (Northwest Energy Efficiency Alliance). 2002. Personal communication. March.
- Nadel, Steven. 2002. *Screening Market Transformation Opportunities: Lessons from the Past Decade, Promising Targets for the Next Decade* [expanded version of this paper]. Washington, D.C.: American Council for an Energy-Efficient Economy.
- Nadel, Steven and Margaret Suozzo. 1998. *Selecting Technologies and Practices for New Market Transformation Initiatives*. In *Proceedings of the 1998 ACEEE Summer Study on Energy Efficiency in Buildings*, 7.237–7.251. Washington, D.C.: American Council for an Energy-Efficient Economy.
- [NEEP] Northeast Energy Efficiency Partnerships. 1996. *Program Screening Criteria*. Lexington, Mass.: Northeast Energy Efficiency Partnerships.
- . 1997. *Program Research and Development Options for 1998*. Lexington, Mass.: Northeast Energy Efficiency Partnerships.
- Suozzo, M. and S. Nadel. 1998. *Selecting Targets for Market Transformation Programs: A National Analysis*. Report prepared for the Consortium for Energy Efficiency. Washington, D.C.: American Council for an Energy-Efficient Economy.
- Suozzo, M., S. Nadel, J. Harris, and T. Eckman. 1998. *Selecting Targets for New Market Transformation Initiatives in the Northwest*. Report prepared for the Northwest Energy Efficiency Alliance. Washington, D.C.: American Council for an Energy-Efficient Economy.
- Suozzo, M., S. Nadel, G. Reed, and M. Shepard. 1998. *Selecting Targets for New Market Transformation Initiatives in Northern California*. Report prepared by ACEEE, XENERGY, and E Source. San Francisco, Calif.: Pacific Gas & Electric Company.