Modeling the Response of Industry to Environmental Constraint

Alain Hita and Ahcène Djemaa, Electricité de France Research and Development Gilles Guerassimoff and Nadia Maïzi, Centre de Mathématiques Appliquées de l'Ecole Supérieure des Mines de Paris

ABSTRACT

For industry, and especially for large energy-consuming industries, energy prices and environmental constraints are the main drivers towards energy efficiency. By this time, many energy efficiency technologies exist on the market and some technological breakthrough processes (e.g. based on Carbon Capture and Storage CCS, or electrolysis in steel industry) are being studied as alternatives to traditional CO2-emitting processes. But their adoption will depend mainly on their economical competitiveness. Emission trading is a new instrument that can modify industry's response by adding a cost to CO2 emissions.

We use a prospective energy model (TIMES-MARKAL) to assess the response of industry to environmental constraint. We illustrate our work by examining the main energy-intensive industrial sectors in France for two carbon-constraint scenarios.

A medium-incentive carbon tax (50 \notin /t) has an impact on the energy mix. Natural gas would replace coal as the main energy use in industry (2050 horizon). This change leads to a 19 % drop in consumed energy by industry. This is a significant but unstable result because this is only due to one industrial sector (steel industry). We found no significant effect of a 50 \notin /t carbon tax on the other industrial sectors.

To reach important gains in terms of CO2 reduction (factor 4 scenario), industry needs CO2 Capture and Storage technology. But some other technological breakthrough processes could also help, such as electrolysis in steel industry. Today these R&D processes are too expensive, but with a strong environmental constraint, they could become competitive.

Environmental Constraints – Main Drivers Towards Energy Efficiency in Industry

For industry, and especially for large energy consuming industries, energy prices and environmental constraints are the main drivers to energy efficiency. In a worldwide competing industry, reducing the production cost by lowering energy uses is one of the major actions to reach competitiveness.

Energy consumption is the major source of CO2 emissions. Twenty-one % of France's total CO2 emissions in 2005 are due to industry. Industry is submitted to legislative pressure to reduce its own CO2 emissions, and by consequence its own energy consumption. This environmental constraint can be applied in different ways such as:

- Carbon taxes: by adding a cost to each ton of CO2 emitted
- CO2 emission trading schemes: rights to a certain CO2 quotas + CO2 exchange market
- CO2 mitigation obligations: obligations to reduce CO2 emissions to a fixed declining level.

This study is part of a PhD work carried out within a partnership between EDF Research & Development and The Applied Mathematics Center of Ecole des Mines de Paris. The interest for EDF, as a major electricity supplier in Europe, to study large consuming industries is that they are more than simple customers. Their industrial strategy, in terms of investments in their production assets, has an important impact on the total amount of consumed energy. This in turn influences the position of EDF as an important player in the European Union Greenhouse Gases Emission Trading Scheme. In addition, for commercial ambitions, EDF develops energy efficiency services. For these reasons it is important to analyse industrial energy consuming processes and to be able to detect the potential of energy efficiency improvement.

How Modeling Can Help to Assess the Influence of Environmental Constraints

Prospective Modeling Helps Providing a Consistent Image of the Future

Energy prospective models are a precious tool for decision making. By integrating economic factors and policies in a long term vision, prospective energy models make it possible to trace a consistent picture of the industrial energy systems. Prospective modeling does not aim at providing reliable results for the future. It is not a forecast. It allows us to anticipate a likely framework of evolution starting from plausible scenarios. Within this framework, we place emphasis on the evaluation of the consequences of an environmental policy, on the selection of energy efficient technologies and the likely trajectories of industrial investment. Cost effects lead to structural change in industry, resulting in the appearance or the disappearance of certain industrial processes.

The TIMES Model Aims to Supply Energy Services at a Minimum Global Cost

TIMES is a recent development in the evolution of the MARKAL framework, created by the IEA Energy Technology System Analysis Programme (ETSAP) [reference 1-2]. Like MARKAL, TIMES is an economic linear programming model generator for local, national or multi-regional energy systems, which provides a technology-rich basis for estimating energy dynamics over a long-term, multi-period time horizon. It is usually applied to the analysis of the entire energy sector, but it may also be applied to study in detail single sectors, like the industrial sector in our case. The model aims to supply energy services at a minimum global cost by simultaneously making the best choices in equipment investments and energy supply. TIMES model is based on a reference energy system, which is a network describing the flow of commodities through various processes. A full TIMES scenario consists in four types of input: the final demand for energy services (in our particular case, energy service demand is replaced by the physical production of industrial products), the resource prices, the environmental policy, and the description of a set of technological process options. TIMES is a demand-driven model. The demand drivers, e.g. steel production, are exogenous, obtained externally from various industry sources or from our own forecast of industrial evolution. There are many energy prospective models. Each of them is dedicated to a particular problem to be solved.

Full Description of the Various Industrial Process Options

The large energy consuming industries are considered in terms of physical production. We use the specific energy consumption per ton of manufactured product. Each industry is modeled by a sequence of manufacturing processes, from the raw material to the finished product. By adding the amounts of energy consumed in each step of the whole process, we can calculate the total energy consumption for each manufactured product and for each time period. We then deduce the volume of CO2 emissions.

In industry, some industrial sectors are very important in terms of energy consumed. Our model includes the following large energy consuming industries:

- Pulp and paper
- Iron and steel
- Glass
- Cement and lime
- Other construction materials (ceramics, tiles and bricks)

These industries belong to the industrial perimeter taken into account in France for the first period (2005-2007) of the Directive 2003/87/CE related to the CO2 emission trading scheme. Other energy-intensive branches such as chemicals are excluded.

The relevance of an energy prospective model is measured by the number of possible options (energy substitution, technological switch) of the reference energy system. In the case of industry, the interest of our representation, which is very detailed, is to be able to explore the industry's room for manoeuvre to adapt to an economic context, whether it is by the choice of the energy carrier or by the choice of new processes.

For each industrial subsector we have a Reference Energy System. For example, figure 1 represents the iron & steel industry.

For each industrial subsector, we identify technology options that can reduce energy use. For example in pulp and paper industry, the most significant energy consuming processes are pulping and the drying section of papermaking. The amount of drying energy required (mainly steam) can be reduced by a number of innovative efficient pressing and drying technologies such as "Airless drying processes", "Dry sheet forming processes" and "Condensing belt dryers" [reference 3-6].



Figure 1: Iron and Steel Reference Energy System

Two Case Studies: Influence of a Carbon Tax (50 ℓ/t) and CO2 Mitigation Obligation by a Factor of 4

An environmental constraint can be applied in different ways. Our model, based on the minimization of production costs, is particularly useful to study the impact of an additional cost, like a carbon tax. It can also be used to impose a CO2 mitigation level and to calculate the corresponding additional costs to the standard production costs to reach this target.

Two case studies are presented:

- Influence of a carbon tax. This scenario supposes an environmental awareness slightly stronger than today. A carbon tax is imposed to all the industrial CO2 emissions. The price level is fixed at a "reasonable" level, at about double the 2008 CO2 price (14 -30 €/t). We suppose a carbon tax of 50€ per CO2 ton for the period of simulation (2000-2050). A constant price rather than an increasing one has been adopted in order to give a better readability of the results. Otherwise, it would have been difficult to see at what carbon price a change occurs, especially during the transition period.
- 2. Influence of CO2 mitigation obligations by a factor of 4. Factor 4 is a concept first introduced by Ernst Ultrich von Weizsäcker in a report of the Rome Club (1997). It refers to an increase by two of the well-being while dividing by two the use of natural resources. At the origin, it is a larger concept than only diminishing greenhouse gases. The expression, used within the framework of the greenhouse gas emissions, consists in stabilizing the atmospheric concentration of CO2 at a 450 ppm level. To achieve this target in France, it is necessary to reduce the CO2 emissions by a factor of 4 (2000-2050).

A factor of 4 is a real challenge; it implies huge efforts in all sectors. We postulate here its application to the large energy consuming industries.

Economic Context: Business as Usual

The "business as usual" scenario is a prospective scenario that assumes that economic actors are going to act like they used to do in the past, with no particular event. The "business as usual" scenario is used as a reference scenario, in order to see the additional effects of the tested environmental scenarios.

Energy prices. The forecasted energy prices are coming from an external model, with exogeneous hypotheses but in accordance with the two environmental scenarios (Carbon tax and Factor 4). We used the POLES (Prospective Outlook on Long-term Energy Systems) model prices. This model has been developed by LEPII (Research Laboratory in Economy and Energy Policies of Grenoble [reference 7].



Figure 2: Energy Price Scenarios for France (from the POLES Model)

The external energy prices model takes the hypothesis that the price of electricity is not impacted by the environmental constraints scenarios because French electricity comes mainly from nuclear energy. In a factor 4 scenario, fossil energies prices decrease as a result of the equilibrium offer-demand because the global demand for such energies becomes lower.

Industrial growth. The industrial growth scenario for France is coming from our own assumptions, based on growth forecasts from the main industrial producers or specialized literature. We still suppose a "business as usual" economic scenario. The scenario was originally made at the beginning of 2008, before the world financial crisis. The forecasts were set up for 2030 and extrapolated to 2050 assuming a continuation of the economic development. It is considered that industrial growth is not affected by environmental constraint scenarios, so physical production is the same in all the scenarios. This enables a direct comparison of the results of energy consumptions in the different scenarios.

We believe that the industrial growth (in term of physical production, i.e. ton production) will be limited in France by a factor 1 to 2 in a 50 years period, except for some promising industrial products (fiber glass, recycled paper or special glass). Concerning steel production, we assumed that world steel production will double by 2050, mainly because of Asian growing

demand. We supposed (in an optimistic way) that France would pick up a major part of the steel production growth, at the occasion of the steel plants renewal scheduled around 2030 and favoured by more advantageous production costs.



Figure 3: Industrial Growth Scenario for France (Reference Year Base in 2000-Physical Production)

The Model Results for France (2050)

Carbon tax. In the figures below, concerning the energy consumption, we can observe:

• During the first period, from 2000 to 2035, in the "business as usual" scenario, there is a rather constant level of energy consumption, despite the low growth of industrial production. This means that industry has adopted "naturally" energy efficient processes, because they are competitive. After 2035, energy consumption increases because of the steel production growth (see figure 9 and industrial growth hypothesis). This may appears as a "strong" or "too optimistic" hypothesis, but this is a case study assumption, and the reader has to consider the differences between the scenario rather than the absolute level of energy consumption.



Figure 4: Energy Consumption, with or without a Carbon Tax

Figure 5: Energy Mix in 2050 (Carbon Tax Scenario) – Same Legend as Figure 4



- No short term effects; there is no change before 2030 (comparing the two scenarios). Large energy consuming industries use long life time equipments (around 20 years for the main production structures¹). The change is coming very slowly in accordance with the equipment change rhythm.
- Change in the energy mix after 2030. Coal is replaced by natural gas. With a medium carbon tax ($50 \notin /t$), it is cheaper to adopt low carbonated energy when possible (coal > natural gas > electricity). Steel industry replaces the traditional blast furnace (coal

¹ In steel industry, the lifetime for a blast furnace is longer, around 50 years, but with numerous revamping events during life.

consuming) by a direct reduction process consuming natural gas, where natural gas acts as a reducing agent for the iron ore [reference 8].



Figure 6: Reduced Energy Consumption in the Carbon Tax Scenario due to Energy Efficiency

Concerning energy efficiency, we observe an overall energy gain of around 19%. This is mainly due to one industrial sector effort, the steel industry. The steel industry represents more than 60% of the 2050 total energy consumed by energy-intensive industry. We found no additional significant effect for other industrial sectors. This means that the next energy efficiency options are no competitive with such a carbon price.

Factor 4. The main questions in the Factor 4 scenario are: is it possible to reach the target and what are the technological solutions for satisfying this ambitious environmental constraint?

Figure 7: CO2 Emissions by Industrial Sectors, Two Case Studies in the Factor 4 Scenario (Factor 4 applied with a Proportional Constraint to each Industrial Sector, or Applied to the Whole Industry)







Figure 7 shows the calculated CO2 emissions and in which industrial sectors the CO2 economies are made. It can be noticed that the "CO2 constraint" curve is higher in 2005 than the real amount column because French industry finally emitted less CO2 than allowed. Figure 8 shows that it is possible to reduce CO2 emissions up to 79 % in 2050 (comparison in 2050 between the Business as usual scenario and the Factor 4 scenario).

Figure 7 presents 2 case studies for the Factor 4 scenario; in a first case we have considered that the environmental constraint is applied for each industrial sector, that means that each sector must divide its own CO2 emissions by a factor of 4 (Factor 4 by sector). In the second case, we have considered that the industry is concerned as unique entity, and it is up to the industry to find the best sectors (where it is cheaper) for the CO2 reductions (Factor 4 for the whole national industry).



Figure 9: Steel and Cement Industry Response to Factor 4 (Process Change)

Figure 9 presents the technological solutions for two main industrial sectors. The solutions are different for each of the industrial sectors:

- The steel industry has changed for a mix of a natural gas process and an electrical solution. We find the appearance of the Direct Reduction process, like in the carbon tax scenario. But we find also the emergence of a radical process change towards the electrolysis of the iron ore.
- The cement industry needs CO2 capture and storage (CCS).
- The glass industry is more balanced (both electricity, natural gas process and CCS)
- The paper industry adopts the airless drying process. This new technique allows a 70% reduction in steam use but with the use of more electricity (+15 to 20 %).

The appearance of those new technologies, both low CO2 emitting and high capital cost, is explained by the strong constraint in CO2 emissions.

We postulate for CO2 capture and storage a favorable set of conditions (limited cost for transport, no environmental problem, public acceptance, large volumes storage)

We find a 79% CO2 emission decrease in 2050 (Factor 4 versus Business as usual). Consequently, the cost of the CO2 constraint could reach $300 \notin t$ in 2050. It represents the CO2 price to make the energy system optimal. It can be noticed that, even with the availability of CCS technology, the model calculates a strong CO2 price to oblige the industry to use all the technical possibilities (even at a high cost) to be able to reach the Factor 4 target.

The comparison between a Factor 4 for the whole industry and a Factor 4 by sector (figure 7) shows a different behavior of the industry branches in response to the CO2 constraint. The application of Factor 4 for the whole industry leads to a more drastic reduction of the CO2 emissions in the cement industry, at the benefice of the other sectors. It is a result in agreement with the minimization of the overall industry cost. The model thus privileges the reduction of the CO2 emissions in the sectors at lower costs. We found out that the cement industry has the lowest CO2 reduction cost (figure 10).

Figure 10: Marginal Cost of CO2 (Factor 4 scenario)





Figure 11: Energy Mix in 2050 (Factor 4 Scenario) - Same Legend as Figure 4

With a high pressure on CO2 emissions, coal nearly disappears in 2050. Natural gas becomes more important but it is electricity that becomes the first energy consumed.

Case Studies – Conclusions

The large energy consumption in industry has a high inertia and a slow response. Because of the long life time of the industrial equipments, the changes are very slow in this industry. There are no visible effects on the short term. We find that the response to an environmental incentive made in 2010 only occurs in 2030, corresponding to the average life time period of industrial equipments.

A medium incentive carbon tax $(50 \notin/t)$ has an impact on the energy mix. Natural gas would replace coal as the main energy use in industry (2050 horizon). But this is mainly due to one major change in the most energy consuming industry: the steel industry. This change (use of a Direct Reduction process instead of the traditional Blast Furnace) leads to a 19 % drop in consumed energy by industry. This is a significant but unstable result because this is only due to one industrial sector. We found no significant effect of a 50 \notin/t carbon tax on the other industrial sectors.

To reach important gains in terms of CO2 reduction, industry needs the CO2 Capture and Storage technology. But some other technological breakthrough processes could also help, such as electrolysis in steel industry. Today these R&D processes are too expensive, but with a strong environmental constraint, they could become competitive.

Of course, these results have to be balanced because of the uncertainty of the future processes. To be chosen in 2040, a process must exist today in 2009, and its 2040 industrial cost production is extrapolated from 2009 laboratory's studies.

Conclusions

In a competing economic environment, industry seeks to reconcile energy efficiency, CO2-reduction and economic profitability. Modeling makes it possible to take the economic aspect of energy efficiency into account and to choose the best couple (energy performances/economic profitability) of the processes in industry. Modeling allows identification of the particular industrial sectors presenting the highest potential in energy efficiency.

In industry, and especially for large energy consuming industries, the response times to an environmental policy are slow because of the long life time of industrial equipments. It is also necessary to consider that the responses to energy efficiency are today in the laboratory phase. Breakthrough processes and CCS technologies have still some development way to go before being available at a large industrial scale. There is a strong inertia of the industry energy system. A strong long-term signal is necessary to drive the R&D efforts on the industrial processes towards the way of energy efficiency and CO2-reduction.

References

Loulou R., et al., 2004, Documentation for the MARKAL model, ETSAP.

- E. Assoumou, M. Bordier, G. Guerassimoff, C. Grange, N. Maïzi, 2004, The Markal family of energy planning models: a supplement to modelling exercises in the French context, Revue de l'énergie, N° 558, CMA, Ecole des Mines de Paris.
- J. de Beer, 2000, Potential for Industrial Energy Efficiency Improvement in the Long Term, Eco-Efficiency in Industry and Science, Kluwer Academic publishers, London.
- Integrated Pollution and Control (IPPC), 2001, Reference document on best available techniques in the pulp and paper industry, Europan commission.
- Gielen D., Tam C., 2006, Energy use, technologies and CO2 emissions in the pulp and paper industry. Paper prepared for the workshop "Energy efficient technologies and CO2 reduction potentials in the pulp and paper industry". IEA.
- E. A. Alsema, 2001, Sector study for the Paper and Board industry and the graphical industry, Report prepared for the Utrecht Center for Energy research (UCE), Department of Science, Technology and Society, Utrecht University, The Netherlands.
- Criqui P., Mima S., Rynikiewicz C., 2006, Prospective énergétique à 2050, contrainte carbone et changements structurels, Présentation à l'atelier « Vers une représentation des économies sous contrainte carbone ».
- J-P. Birat, et al., 2008, ULCOS program: a progress report in the Spring of 2008, 3rd International Conference on Process Development in Iron and Steelmaking.